

**ASMS 2018  
Users  
Meeting  
June 3, 2018**

Manchester Grand Hyatt San Diego | 2<sup>nd</sup> Floor, 1 Market Place, San Diego, CA

**Life Science & Omics Research Users Meeting Agenda** Harbor GHI

- 7:30 AM Breakfast and Registration**
- 8:30 AM Introduction and Welcome**  
*Randy Arnold, Market Development Manager, SCIEX*
- 8:35 AM Development of a Large-Scale Integrated Platform for Clinical Proteomics and Drug Target Discovery to Enhance Precision Medicine Solutions**  
*Tony Whetton, Professor of Cancer Cell Biology, Director of the Stoller Biomarker Discovery Centre and the Manchester Precision Medicine Institute, University of Manchester, United Kingdom*
- 9:05 AM The Lipidyzer™ Platform: Practical Examples from Clinical Research**  
*Martin Giera, Associate Professor and Head of the Metabolomics Group, The Center for Proteomics and Metabolomics at Leiden University Medical Centre, Netherlands*
- 9:35 AM The Role of Citrullination Beyond Rheumatoid Arthritis**  
*Justyna Fert Bober, Project Scientist, Cardiovascular Disease and Autoimmunity, Van Eyk Laboratory, Cedars Sinai*
- 10:05 AM Break**
- 10:25 AM Hyphenated MS in Metabolomics: Data Independent Acquisition, Ion Mobility and Electron-Based Dissociation**  
*Gérard Hopfgartner, Professor, Head of Life Sciences Mass Spectrometry Group, Department of Inorganic and Analytical Chemistry, University of Geneva, Switzerland*
- 10:55 AM Experiences with Plasma Proteomics Aimed at Clinical Research: From SRM to SWATH® Acquisition**  
*Mark Molloy, Lawrence Penn Chair of Bowel Cancer Research, Sydney Medical School, University of Sydney, Australia*
- 11:25 AM Using Cheminformatics Tools with Accurate Mass Untargeted Plus Targeted LC-MS/MS for Comprehensive Metabolomics in Human Plasma**  
*Oliver Fiehn, Paul K. and Ruth R. Stumpf Endowed Professor of Plant Biochemistry, Department of Molecular and Cellular Biology, University of California, Davis*
- 12:00 PM Adjourn**

► **Click here to register. Seating is limited.**

Agenda is subject to change without notice.

RUO-MKT-07-7754-A