SAFETY DATA SHEET



MS Single Tuning Solution

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

| 1.1 Product identifier | |
|----------------------------------|---------------------------------|
| Product name | : MS Single Tuning Solution |
| Product type | : Liquid. |
| Other means of identification | : Not available. |
| Product part number | : 5077207 |
| Kit name | : MS Single Tuning Solution Kit |
| Kit part number | : 5077206 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Product use Area of application | Research and Development Professional applications. |
|------------------------------------|--|
| Uses advised against | |
| None identified. | |

1.3 Details of the supplier of the safety data sheet

AB Sciex UK Limited 21F18, 21 Mereside, Alderley Park Macclesfield, Cheshire SK10 4TG United Kingdom Telephone no.: 00800 2255 2279 e-mail address of person : msds.inquiry@sciex.com responsible for this SDS

| 1.4 Emergency 1 | telephone number | |
|-----------------|--------------------|------|
| National advise | orv body/Poison Ce | ntre |

| Hattonia autioory bodyn | |
|-------------------------|--|
| Telephone number | : CHEMTREC: +44 20 3807 3798 |
| <u>Supplier</u> | |
| Telephone number | : 1-877-740-2129 (8:30A PT - 5:00P PT) |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Fam. Liq. 2, H225 Acute Tox. 4, H302 Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

| Date of issue/Date of revision : 24/12/2021 | Date of previous issue | :05/12/2019 | Version : 2 | 1/16 |
|---|------------------------|-------------|-------------|------|
|---|------------------------|-------------|-------------|------|

SECTION 2: Hazards identification

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



| Signal word | 1 | Danger |
|---|----|---|
| Hazard statements | : | H225 - Highly flammable liquid and vapour. H302 - Harmful if swallowed. H319 - Causes serious eye irritation. |
| Precautionary statements | | |
| Prevention | : | Vear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P270 - Do not eat, drink or smoke when using this product. P264 - Wash hands thoroughly after handling. |
| Response | : | ₱305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Storage | 1 | Not applicable. |
| Disposal | : | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazardous ingredients | 1 | acetonitrile |
| Supplemental label elements | : | Not applicable. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : | Not applicable. |
| Special packaging requirem | en | <u>ts</u> |
| Containers to be fitted with child-resistant fastenings | : | Not applicable. |
| Tactile warning of danger | : | Not applicable. |
| 2.3 Other hazards | | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : | This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification | : | None known. |

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures : | Mixture | | | |
|-------------------------|--|-----------|--|---------|
| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Туре |
| acetonitrile | EC: 200-835-2 CAS: 75-05-8 Index: 608-001-00-3 | ≥25 - ≤50 | Flam. Liq. 2, H225 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 | [1] [2] |
| formic acid | EC: 200-579-1 CAS: 64-18-6 Index: 607-001-00-0 | ≤0.3 | Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 3, H331 Skin Corr. 1A, H314 Eye Dam. 1, H318 | [1] [2] |
| | | | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|--|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

SECTION 4: First aid measures

| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get |
|----------------------------|---|
| | medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It |

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|---------------------|--|
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | | |
|--|-----|--|
| Suitable extinguishing media | : | Use dry chemical, CO ₂ , water spray (fog) or foam. |
| Unsuitable extinguishing media | : | Do not use water jet. |
| 5.2 Special hazards arising f | rom | the substance or mixture |
| Hazards from the substance or mixture | : | Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
| Hazardous thermal decomposition products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides |
| 5.3 Advice for firefighters | | |
| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Date of issue/Date of revision | | : 24/12/2021 Date of previous issue : 05/12/2019 Version : 2 4/16 |

SECTION 5: Firefighting measures

| Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self breathing apparatus (SCBA) with a full face-piece operated in posit mode. Clothing for fire-fighters (including helmets, protective boots conforming to European standard EN 469 will provide a basic level chemical incidents. |
|--|
|--|

SECTION 6: Accidental release measures

| 6.1 Personal precautions, pro | ote | ctive equipment and emergency procedures |
|--------------------------------|-----|--|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and material for | со | ntainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an |

| | appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|-------------|--|
| Large spill | : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. |
| | |

| sections | See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information. |
|------------------------|--|
| 6.4 Reference to other | : See Section 1 for emergency contact information. |

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrica | tive measures | Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers |
|--|---------------|---|
|--|---------------|---|

5/16

SECTION 7: Handling and storage

| Advice on general | : Eating, drinking and smoking should be prohibited in areas where this material is |
|----------------------|---|
| occupational hygiene | handled, stored and processed. Workers should wash hands and face before eating, |
| | drinking and smoking. Remove contaminated clothing and protective equipment |
| | before entering eating areas. See also Section 8 for additional information on |
| | hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidising materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds (in tonnes)

Danger criteria

| Category | Notification and MAPP threshold | Safety report threshold |
|----------|---------------------------------|-------------------------|
| P5c | 5000 tonne | 50000 tonne |

7.3 Specific end use(s)

| Recommendations | : Not available. |
|--------------------------------------|------------------|
| Industrial sector specific solutions | : Not available. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|-------------------------|--|
| acetonitrile | EH40/2005 WELs (United Kingdom (UK), 1/2020). |
| | STEL: 102 mg/m ³ 15 minutes. |
| | STEL: 60 ppm 15 minutes. |
| | TWA: 40 ppm 8 hours. |
| | TWA: 68 mg/m ³ 8 hours. |
| | EU OEL (Europe, 10/2019). Absorbed through skin. Notes: list |
| | of indicative occupational exposure limit values |
| | TWA: 40 ppm 8 hours. |
| | TWA: 70 mg/m ³ 8 hours. |
| formic acid | EH40/2005 WELs (United Kingdom (UK), 1/2020). |
| | TWA: 9.6 mg/m ³ 8 hours. |
| | TWA: 5 ppm 8 hours. |
| | EU OEL (Europe, 10/2019). Notes: list of indicative |
| | occupational exposure limit values |
| | TWA: 5 ppm 8 hours. |
| | TWA: 9 mg/m ³ 8 hours. |

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product/ingredient name | Туре | Exposure | Value | Population | Effects |
|-------------------------|------|--------------------------|-----------------------|-----------------------|----------|
| acetonitrile | DNEL | Short term Oral | 0.6 mg/kg bw/day | General population | Systemic |
| | DNEL | Long term Inhalation | 4.8 mg/m ³ | General population | Local |
| | DNEL | Long term Inhalation | 4.8 mg/m ³ | General population | Systemic |
| | DNEL | Short term Inhalation | 22 mg/m³ | General population | Local |
| | DNEL | Long term Dermal | 32.2 mg/ kg bw/day | Workers | Systemic |
| | DNEL | Short term Inhalation | 68 mg/m ³ | Workers | Local |
| | DNEL | Long term Inhalation | 68 mg/m³ | Workers | Local |
| | DNEL | Short term Inhalation | 68 mg/m³ | Workers | Systemic |
| | DNEL | Long term Inhalation | 68 mg/m³ | Workers | Systemic |
| | DNEL | Short term Inhalation | 220 mg/m ³ | General population | Systemic |
| formic acid | DNEL | Long term Inhalation | 3 mg/m³ | General population | Local |
| | DNEL | Short term Inhalation | 9.5 mg/m³ | General | Local |
| | DNEL | Long term Inhalation | 9.5 mg/m³ | Workers | Local |
| | DNEL | Short term Inhalation | 19 mg/m³ | Workers | Local |

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Individual protection measures

Date of issue/Date of revision

SECTION 8: Exposure controls/personal protection

| | • • |
|---------------------------------|--|
| Hygiene measures | : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| <u>Appearance</u> | | | | |
|---|-------------------------------------|-------------|-------------|------|
| Physical state | : Liquid. | | | |
| Colour | : 🖉 olourless. | | | |
| Odour | : Not available. | | | |
| Odour threshold | : Not available. | | | |
| рН | : 3 | | | |
| Melting point/freezing point | : Not available. | | | |
| Initial boiling point and boiling range | : >35°C | | | |
| Flash point | : Closed cup: <23°C | | | |
| Evaporation rate | : Not available. | | | |
| Flammability (solid, gas) | : Not applicable. | | | |
| Date of issue/Date of revision | : 24/12/2021 Date of previous issue | :05/12/2019 | Version : 2 | 8/16 |

SECTION 9: Physical and chemical properties

| Upper/lower flammability or explosive limits | : | Not available. |
|---|---|-----------------|
| Vapour pressure | : | Not available. |
| Vapour density | : | Not available. |
| Relative density | : | Not available. |
| Solubility(ies) | : | Not available. |
| Partition coefficient: n-octanol/ water | : | Not applicable. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| Viscosity | : | Not available. |
| Explosive properties | 1 | Not available. |
| Oxidising properties | : | Not available. |

| 9.2 | Other | information |
|-----|-------|-------------|
|-----|-------|-------------|

| Physical/chemical properties | : No additional information. |
|------------------------------|------------------------------|
| comments | |

SECTION 10: Stability and reactivity

| | - | |
|---|---|---|
| 10.1 Reactivity | | No specific test data related to reactivity available for this product or its ingredients. |
| 10.2 Chemical stability | : | The product is stable. |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. |
| 10.4 Conditions to avoid | : | Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| 10.5 Incompatible materials | : | Reactive or incompatible with the following materials: oxidising materials |
| 10.6 Hazardous | : | Under normal conditions of storage and use, hazardous decomposition products |

decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|------------------------|---------|------------------------|----------|
| acetonitrile | LC50 Inhalation Gas. | Rat | 17100 ppm | 4 hours |
| | LD50 Oral | Rat | 2460 mg/kg | - |
| formic acid | LC50 Inhalation Vapour | Rat | 7400 mg/m ³ | 4 hours |
| | LD50 Oral | Rat | 730 mg/kg | - |

SECTION 11: Toxicological information

Conclusion/Summary : Not available.

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---------------------------|------------------|-------------------|--------------------------------|-----------------------------------|--|
| MS Single Tuning Solution | 1149.3 | 2528.6 | 39307.8 | 5553.9 | N/A |
| acetonitrile | 500 | 1100 | 17100 | N/A | N/A |
| formic acid | 730 | N/A | N/A | 7.4 | N/A |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|--|-------------------|-----------|------------------|-------------|
| cetonitrile | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 | - |
| formio opid | | Dabbit | | uL | |
| formic acid | Eyes - Severe irritant Skin - Mild irritant | Rabbit Rabbit | - | 122 mg 610 mg | - |
| | | Rabbit | - | oronig | - |
| Conclusion/Summary | : Not available. | | | | |
| Sensitisation | | | | | |
| Conclusion/Summary | : Not available. | | | | |
| <u>Mutagenicity</u> | | | | | |
| Conclusion/Summary | : Not available. | | | | |
| Carcinogenicity | | | | | |
| Conclusion/Summary | : Not available. | | | | |
| Reproductive toxicity | | | | | |
| Conclusion/Summary | : Not available. | | | | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Not available. | | | | |
| Specific target organ toxicity | <u> (single exposure)</u> | | | | |
| Not available. | | | | | |
| Specific target organ toxicity | (repeated expective) | | | | |
| Not available. | (repeated exposure) | | | | |
| Not available. | | | | | |
| Aspiration hazard | | | | | |
| Not available. | | | | | |
| la forma de la completa de la comple | | | | | |
| Information on likely routes of exposure | : Routes of entry anticipated: C | Dral, Dermal, Ini | nalation. | | |
| Potential acute health effects | | | | | |
| Eye contact | : Causes serious eye irritation. | | | | |
| Inhalation | : No known significant effects of | or critical hazar | ds. | | |
| Skin contact | : No known significant effects of | or critical hazar | ds. | | |
| Ingestion | : Harmful if swallowed. | | | | |
| Ŭ. | | | | | |

Symptoms related to the physical, chemical and toxicological characteristics

SECTION 11: Toxicological information

| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
|--------------|--|
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| | |

Ingestion : No specific data.

| Short term exposure | |
|--------------------------------|---|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | <u>ects</u> |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|---|-------------------------------------|----------|
| acetonitrile | Acute IC50 3685000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Acute LC50 3600000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 1000000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Chronic NOEC 160000 µg/l Fresh water | Daphnia - Daphnia magna | 21 days |
| formic acid | Acute EC50 151200 µg/l Fresh water | Daphnia - Daphnia magna - Larvae | 48 hours |
| | Acute LC50 80000 to 90000 µg/l Marine water | | 48 hours |
| | Acute NOEC ≥100 mg/l Fresh water | Daphnia - Daphnia magna | 21 days |

Conclusion/Summary : Not available.

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|--------------------------------|---|-----------------------------|---------|-------------------|
| a cetonitrile | OECD 301C Ready Biodegradability - Modified MITI Test (I) | 65 % - Readily - 28 days | - | Activated sludge |
| Date of issue/Date of revision | : 24/12/2021 D | ate of previous issue : 05/ | 12/2019 | Version : 2 11/16 |

SECTION 12: Ecological information

| Conclusion/Cummary | | | |
|-------------------------|-------------------|------------|------------------|
| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
| acetonitrile | - | - | Readily |
| formic acid | - | - | Readily |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------|--------|-----|-----------|
| cetonitrile | -0.34 | - | low |
| formic acid | -2.3 | | low |

12.4 Mobility in soil

| Soil/water partition coefficient (K _{oc}) | : Not available. |
|--|------------------|
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| Product | |
|---------------------|---|
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | : The classification of the product may meet the criteria for a hazardous waste. |
| Packaging | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | IATA |
|---|---|-----------------------|-----------------------|-----------------------|
| 14.1 UN number | UN1648 | UN1648 | UN1648 | UN1648 |
| 14.2 UN proper shipping name | ACETONITRILE solution | ACETONITRILE solution | ACETONITRILE solution | Acetonitrile solution |
| 14.3 Transport hazard class(es) | 3 | 3 | 3 | 3 |
| 14.4 Packing group | Ш | II | Ш | 11 |
| 14.5 Environmental hazards | No. | No. | No. | No. |
| Additional information ADR/RID : Hazard identification number 33 Limited quantity 1 L Tunnel code (D/E) | | | | |
| IMDG | Emergency schedules F-E, S-D | | | |
| ΙΑΤΑ | A : Quantity limitation Passenger and Cargo Aircraft: 5 L. Packaging instructions: 353. Cargo Aircraft Only: 60 L. Packaging instructions: 364. Limited Quantities - Passenger Aircraft: 1 L. Packaging instructions: Y341. | | | |
| 14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in | | | | |

14.7 Transport in bulk : Not available. according to IMO instruments

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

the event of an accident or spillage.

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

| Ingredient name | EC number | CAS number | Restriction |
|-------------------|-----------|------------|-------------|
| F eserpine | 200-047-9 | 50-55-5 | 30 |

Substances requiring : Not applicable. labelling

13/16

SECTION 15: Regulatory information

Other EU regulations

| Europe inventory Industrial emissions (integrated pollution prevention and control) - | Not determined.Listed | | |
|--|--|--|--|
| Air Industrial emissions (integrated pollution prevention and control) - Water | : Listed | | |
| Ozone depleting substances (1005/2009/EU) Not listed. | | | |

Prior Informed Consent (PIC) (649/2012/EU) Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria Category P5c

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical safety : This product contains substances for which Chemical Safety Assessments are still required.

- **15.3 Registration status**
- : Mixture. Information concerning the substance : Contact local supplier or distributor.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

SECTION 16: Other information

| Abbreviations and acronyms | : ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative |
|---|---|
| Key literature references and sources for data | Regulation (EC) No. 1272/2008 [CLP]; European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), concluded in Geneva on 30 September 1957 plus amendments (Uniform text: Journal of Laws 27/2009 pos. 162 plus amendments); European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN); Occupational exposure limits; International regulations |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification | |
|--------------------|-----------------------|--|
| ✓am. Liq. 2, H225 | On basis of test data | |
| Acute Tox. 4, H302 | Calculation method | |
| Eye Irrit. 2, H319 | Calculation method | |

Full text of abbreviated H statements

| ₩225 | Highly flammable liquid and vapour. |
|------|--|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |

Full text of classifications [CLP/GHS]

| Acute Tox. 3 | ACUTE TOXICITY - Category 3 |
|---|---|
| Acute Tox. 4 | ACUTE TOXICITY - Category 4 |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 |
| Eye Irrit. 2 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 |
| Flam. Liq. 2 | FLAMMABLE LIQUIDS - Category 2 |
| Flam. Liq. 3 | FLAMMABLE LIQUIDS - Category 3 |
| Skin Corr. 1A | SKIN CORROSION/IRRITATION - Category 1A |
| Training advice Date of issue/ Date of | Ensure operatives are trained to minimise exposures. Training staff on good practice. 24/12/2021 |

| revision | |
|------------------------|--------------|
| Date of previous issue | : 05/12/2019 |
| Version | : 2 |
| Notice to reader | |
| | |

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.